
Item # H-50, Model H-50



Model H-50

Gallons per Minute - 30

Gallons per Hour - 1800

[Click through to see full Flow Rates](#)

SPECIFICATIONS

Ozone Yield	0.50 lbs./day
Ozone Yield	9.5 g/hour
Generator Width	16 inches
Generator Length	37 inches
Generator Height	45 inches
Generator Weight	210 lbs.
Shipping Width	24 inches
Shipping Length	42 inches
Shipping Height	50 inches
Shipping Weight	360 lbs.
Volts	110 V 220 V
Frequency	50 Hz 60 Hz
Current	10 A
Phase	1

Plug-in Electrical Cord	Yes
Electrical Fused Disconnect	No
High Current Breaker	5 A
High Voltage Transformer	0.5 KVA
Maximum Air Flow	0.5 SCFM
Maximum Air Flow	30 SCFH
Air Pressure Into Dryer	80 psi
Air Pressure Out of Dryer	13 psi
Power (Oil-Free Air Compressor)	0.5 HP
Voltage (Oil-Free Air Compressor)	110 V 220 V
Desiccant Cell Size	6 inches
Moisture Indicator	Yes
Required Flow (Cooling Water)	5 gph



Model H-50
Gallons per Minute - 30
Gallons per Hour - 1800
Click through to see full Flow Rates

[larger image](#)

Specifications	Flow Rates	Typical Installation
--------------------------------	----------------------------	--------------------------------------

Gallons per Minute	30
Gallons per Hour	1800
Gallons per 8 Hours	14400
Gallons per 24 Hours	43200

Liters per Minute	114
Liters per Hour	6813
Liters per 8 Hours	54504
Liters per 24 Hours	163512